


整体卫浴 (UNIT TOILET)

高品质预制卫生设施



提供淋浴 / 浴缸类型



卓越品质



提供高端型及标准型淋浴 / 浴缸配置

KME凭借数十年积累的专业技术与丰富经验，致力于为船舶居住空间设计、制造并供应高品质的预制式卫浴设备。

从豪华邮轮到海洋平台，KME的预制式卫浴设备可根据不同船型及安装环境灵活应用。无论是标准配置还是完全定制化产品，均严格遵循国际海事规范及严苛的质量标准，并采用经过验证的高端优质材料进行生产。

公司的设计理念以耐久性与实用性为基础，致力于为船东、造船厂及实际使用者提供兼具高品质与舒适性的理想环境。同时，在设计阶段充分考虑操作与施工的便捷性，以最大化提升现场安装效率。

在整个生产过程中，KME实施系统化的质量管理体系，确保所有交付产品均符合公司严格的质量标准。

目前，公司持续向国内外主要造船厂及船东稳定供货，并凭借丰富的项目经验与技术实力赢得客户的高度信赖。

KME通过深入理解客户需求，提供量身定制的解决方案，并以始终如一的品质与责任精神，稳步发展为海洋设备领域值得信赖的合作伙伴。

非常感谢。



高端浴缸 & 淋浴系统


KME UNIT TOILET根据不同类型具备专属功能，基于卓越的耐久性、精致的设计以及系统化结构，以整装成品形式供应。

不仅提供淋浴房类型、浴缸类型等多样化设计，还可根据客户标准进行定制化生产与直接供货。

- 灵活设计
- 定制生产
- 严格遵循规范
- 高品质
- 合理价格
- 采用最高等级 (Grade-A) 材料
- 操作便捷
- 安装简便




提供淋浴房类型、浴缸类型等多样化设计，
并根据客户标准进行定制化生产与直接供货。



淋浴类型

- 产品自主生产及供货
- 根据客户需求定制生产



浴缸类型

- 产品自主生产及供货
- 根据客户需求定制生产

● 淋浴 ● 浴缸

序号	项目	规格	型号	数量 / SET	
				S	B
1	地板	3.2mm 钢板上铺设马赛克瓷砖（填缝：灰色水泥）	KME STANDARD	1	1
2	内壁板	0.6mm 镀锌钢板涂装，内含 15mm 矿棉，总厚度 30mm	KME STANDARD	1	1
3	外壁板	0.6mm 镀锌钢板覆 PVC 贴面， 内含 15mm 矿棉，总厚度 20mm	KME STANDARD	1	1
4	门框	1.5mm 钢板烤漆涂装，有效开口尺寸： 600CW×1800CH，800CW×1800CH（医院专用）	KME STANDARD	1	1
	门扇 + 锁具	0.6mm 镀锌钢板覆 PVC 贴面，门锁：指示型插芯门锁	KME STANDARD	1	1
5	坐便器	壁挂式真空型，白色卫生陶瓷，含智能马桶盖 / 「船厂供货·KME 安装」	-	1	1
6	污水管	Ø50 排出口，采用橡胶软管接头（真空系统，船厂供货）	-	1	1
7	HI-MACS 台面 + 洗脸盆	台面厚度 12t，白色卫生陶瓷洗脸盆， 单杆混水龙头，含弹起式排水口	-	1	1
8	下柜	悬浮式 / 医院专用：600(W)×750(H)×425(D) / 一般：600(W)×750(H)×525(D)	KME STANDARD	1	1
9	淋浴混水阀	单杆混水阀，含手持式花洒 + 软管 + 升降杆	-	-	1
10	淋浴混水阀	嵌入式淋浴型	-	1	-
11	LED 镜子	600W×800H，内置 LED 照明	KME STANDARD	1	1
12	LED 筒灯	吸顶嵌入式 / AC 220V，60Hz，单相(1Ø)，13W，IP44	-	1	1
13	地漏及排水管	SUS 304 框架，Ø150 SUS 304 格栅， 40A 黑管 + 橡胶软管接头	KME STANDARD	1	1
14	排气阀	壁挂式，弯头接头 KU-100 / 白色	KME STANDARD	1	1
15	门开关	极地白 / AC 250V，16AX，1WAY，IP20	KME STANDARD KSW-F11	1	1
16	接线盒 — 照明·插座用	ABS 树脂，6 路电缆密封头，9P，IP44	KME STANDARD	1	1
17	接线盒 — 扬声器用	ABS 树脂，4 路电缆密封头，6P，IP44	KME STANDARD	1	1
18	扬声器 2W	嵌入式	-	1	1

● 淋浴 ● 浴缸

序号	项目	规格	型号	数量 / SET	
				S	B
19	淋浴房	铰链式 / 含 8T 钢化玻璃（半透明）支架	KME STANDARD	1	-
20	毛巾架 & 杆	SUS304 / 535×211×117	-	-	1
21	毛巾挂钩	SUS + 镀铬黄铜	-	1	-
22	肥皂托	塑料 + 镀铬	-	1	1
23	淋浴置物架	玻璃 + 镀铬黄铜	-	1	1
24	双层卷纸架	SUS + 镀铬黄铜	-	1	-
25	卷纸架	SUS + 镀铬黄铜 / 颜色：黑色	-	-	1
26	安全扶手	SUS + 镀铬黄铜	-	-	2
27	门调节器	SUS + 镀铬黄铜	-	1	1
28	衣帽钩	不锈钢 / 颜色：银色	-	1	1
29	插座 — 吹风机用	AC 250V, 50/60Hz, 16A	KME STANDARD	1	1
30	插座 — 智能马桶盖用	AC 250V, 50/60Hz, 16A	KME STANDARD	1	1
31	热水管	Ø12 PVC 包覆铜管, 卡套式活接球阀 (Ø12×PF1/2") + SUS 软管 (L=300, PT1/2" 外螺纹)	KME STANDARD	1	1
32	冷水管	Ø12 PVC 包覆铜管, 卡套式活接球阀 (Ø12×PF1/2") + SUS 软管 (L=300, PT1/2" 外螺纹)	KME STANDARD	1	1
33	浴缸	玻璃纤维增强塑料(SMC), 含溢水口, 白色 / 720X×1500L	KME STANDARD	-	1
34	玻璃隔断	铝合金框架 + 8.0T 钢化玻璃 (半透明)	KME STANDARD	-	1
35	角阀 — 智能马桶盖用	镀铬黄铜	-	1	1
36	垃圾桶	ABS (白色), 6 升 / 225(W)×240(H)×135(D)	-	1	1


标准型 浴缸 & 淋浴

KME 整体卫生间针对各类型配备专属功能，凭借耐用性、精致的设计与系统化的工艺，以成品形式供货。除淋浴房型、浴缸型等多样化设计外，还可根据客户需求自主生产与交付定制产品。

- 灵活的设计
- 定制生产
- 高品质
- 价格合理
- 操作简便
- 安装便捷



提供淋浴房型、浴缸型等多样化设计，并可根据客户需求自主生产与交付定制产品。




淋浴型

- 自主生产与交付
- 根据客户需求定制生产

浴缸型

- 自主生产与交付
- 根据客户需求定制生产



● 淋浴 ● 浴缸

序号	项目	规格	型号	数量 / SET	
				S	B
1	地板	防滑马赛克瓷砖 / 3.2mm 钢板上铺设	-	1	1
2	内壁板	0.6mm 镀锌钢板覆 PVC 贴面 / 15mm 矿棉 / 总厚度 30mm	-	1	1
3	外壁板	0.6mm 镀锌钢板覆 PVC 贴面 / 15mm 矿棉 / 总厚度 20mm	-	1	1
4	门 & 门框 (一般)	门扇：0.6mm 镀锌钢板覆 PVC 膜贴面 / 有效尺寸：600×1800, 800×1800 (111号房专用) / 门框：1.6mm 钢板烤漆涂装	-	-	1
		门扇：0.6mm 镀锌钢板覆 PVC 膜贴面 / 有效尺寸：600×1800 / 门框：1.2mm 钢板烤漆涂装	-	1	-
5	浴缸	玻璃纤维增强塑料(SMC) / 含溢水口 / 白色	-	-	1
6	坐便器	壁挂式白色陶瓷真空型 (VACDRIN)	-	1	1
7	污水管	Ø50 排出口 / 橡胶软管接头 (真空系统)	-	1	-
8	洗脸盆	白色陶瓷 / 单杆水龙头 / 弹起式排水口	-	-	1
	洗脸盆 (转角型)	白色陶瓷 / 单杆水龙头 / 弹起式排水口	-	1	-
9	淋浴混水阀	恒温混水阀 / 含手持花洒·软管·升降杆	-	1	-
10	浴缸混水阀	恒温混水阀 / 含手持花洒·软管	-	-	1
11	卫浴柜	模塑塑料柜体 / 含镜子 (TC01-AC2-C1)	-	-	1
	卫浴柜 (转角型)	模塑塑料柜体 / 含镜子 (TC04-SC2-C1)	-	1	-
12	地漏 & 排水管	SUS 304 框架 / Ø150 SUS 304 格栅 / 40A SPP / 橡胶软管接头	-	2	1
13	浴帘	铝合金导轨防水浴帘	-	-	1
		铝合金导轨涤纶浴帘	-	1	-
14	流苏挂钩	镀铬黄铜 (CTH-01)	-	1	1
15	热水管	Ø12 PVC 包覆铜管 / 卡套式球阀 (Ø12×PF1/2") / SUS 软管 300L	-	1	1

● 淋浴 ● 浴缸

序号	项目	规格	型号	数量 / SET	
				S	B
16	冷水管	Ø12 PVC 包覆铜管 / 卡套式球阀 (Ø12×PF1/2") / SUS 软管 300L	-	1	1
17	排气阀	KU-100 / 白色壁挂式 / 含弯头接头	-	1	1
18	接线盒 (照明用)	ABS 树脂 / 4 路电缆密封头 6P / IP44	-	1	1
19	接线盒 (扬声器用)	ABS 树脂 / 4 路电缆密封头 6P / IP44	-	1	1
20	镜前灯 (A)	LED 11W / 吸顶嵌入式 / 含剃须刀插座 / IP44 / AC 220V 60Hz 1Ø / 含隔离变压器 / 通用插座	-	-	1
		LED 8W / 吸顶嵌入式 / 含剃须刀插座 / IP44 / AC 220V 60Hz 1Ø / 含隔离变压器	-	1	-
21	门开关	KSW-F11 / 极地白 / AC 250V 16AX / 1WAY / IP20	-	1	1
22	扬声器 (1W)	防水嵌入式 1W 扬声器 (船东供货)	-	1	1
23	淋浴挡水条	2.0t SUS 板材 / Ø12.7 SUS 圆棒 / 高度 100mm	-	1	-
24	转角置物架	SUS & 镀铬黄铜 (KS-02)	-	1	-
25	毛巾杆	SUS & 镀铬黄铜 (TB-03)	-	1	1
26	肥皂托 (洗脸盆用)	不锈钢 (SD-04)	-	1	1
27	肥皂托 (淋浴用)	SUS & 镀铬黄铜 (SD-03)	-	-	1
28	卷纸架	SUS & 镀铬黄铜 (PH-03)	-	1	1
29	安全扶手	SUS & 镀铬黄铜 (GR-03)	-	2	2
30	衣帽钩	SUS & 镀铬黄铜 (CH-02)	-	1	2
31	门调节器 (A)	SUS & 镀铬黄铜 (KDA-02)	-	-	1
		规格: SUS & 镀铬黄铜 (938.64.002)	-	1	-
32	马桶刷	海绵型	-	-	1
		镀铬黄铜 & 塑料底座 (TOILET BRUSH HOLDER-02)	-	1	-
33	晾衣绳	不锈钢 (KL-01)	-	-	1

• 壁板

表面处理：装饰材饰面 0.6mm 厚度镀锌钢板

标准宽度：510mm / 最大长度：2,400mm

类型	型号	厚度	防火等级	重量	隔音性能	传热系数
	W-30	30mm	B-0	12kg/m ²	STC 29dB	1.62kcal/m ² h°C
	W-30D	45mm	B-15	15kg/m ²	STC 29dB	0.81kcal/m ² h°C
	W-50	50mm	B-15	19.2kg/m ²	STC 39dB RW 42dB	0.52kcal/m ² h°C
	W-80	Min. 80mm	B-15	24kg/m ²	STC 44dB	0.48kcal/m ² h°C

• 顶板

表面处理：装饰材饰面 0.6mm 厚度镀锌钢板

标准宽度：510mm / 最大长度：2,400mm

类型	型号	厚度	防火等级	重量	隔音性能	传热系数
	C30	30mm	B-0	12kg/m ²	STC 52dB	1.62kcal/m ² h°C
	C30D	45mm	B-15	15kg/m ²	STC 53dB	0.81kcal/m ² h°C
 Incl .Steel deck	C30A	30mm	B-0	12kg/m ²	-	1.62kcal/m ² h°C

• 认证证书

类型	防火等级	船级社 / 机构				
		ABS	DNV	KR	LR	BV / MED
KME-UT-W30	B-0	O	O	O	O	O
KME-UT-C30	B-0	O	O	O	O	O
KME-UT-C30A	B-0	O	O	O	O	O
KME-UT-W50	B-15	O	O	O	O	O
KME-UT-W80	B-15	O	O	O	O	O
KME-UT-C30D	B-15	O	O	O	O	O

"TOILET CABINET"



KME-TC 01

Model No.	Size	Door highly	Guard type	Hook	Catch	Magnetic	Cup
TC01-AC2-C1	580 × 300	400	ABS	-	2	-	1
TC01-AC2-C2	580 × 300	400	ABS	-	2	-	2
TC01-AHM1-C1	580 × 300	400	ABS	1	-	1	1
TC01-AHM1-C2	580 × 300	400	ABS	1	-	1	2
TC01-SC2-CB1	580 × 300	400	SUS 304	-	2	-	Brass Cup1



KME-TC 02

Model No.	Size	Door highly	Guard type	Hook	Catch	Magnetic	Cup
TC02-AHM1-C1	570 × 400	395	ABS	1	-	1	1
TC02-AHM1-C2	570 × 400	395	ABS	1	-	1	2
TC02-AHM1-CB1	570 × 400	395	ABS	1	-	1	Brass 1



KME-TC 02-ML

Model No.	Size	Door highly	Guard type	Hook	Catch	Magnetic	Cup
TC02-ML-AHM1-C1	570 × 400	395	ABS	1	-	1	1
TC02-ML-AHM1-C2	570 × 400	395	ABS	1	-	1	2
TC02-ML-AHM1-CB1	570 × 400	395	ABS	1	-	1	Brass 1



KME-TC 04

Model No.	Size	Door highly	Guard type	Hook	Catch	Magnetic	Cup
TC04-AC2-C1	695 × 385	400	ABS	-	2	-	1
TC04-SC2-C1	695 × 385	400	SUS 304	-	2	-	1
TC04-SC2-C2	695 × 385	400	SUS 304	-	2	-	2
TC04-SC2-CB1	695 × 385	400	SUS 304	-	2	-	Brass1

**KME-TC 06**

Model No.	Size	Door highly	Guard type	Hook	Catch	Magnetic	Cup
TC06-AC2-C1	895 × 380	400	ABS	-	2	-	1
TC06-AC2-C2	895 × 380	400	ABS	-	2	-	2
TC06-SC2-C1	895 × 380	400	SUS 304	-	2	-	1
TC06-SC2-CB1	895 × 380	400	SUS 304	-	2	-	Brass1

**KME-TC 07**

Model No.	Size	Door highly	Guard type	Hook	Catch	Magnetic	Cup
TC07-AC2M1-C1	895 × 380	890	ABS	-	2	-	1
TC07-SC2-C1	895 × 380	890	SUS 304	-	2	-	1
TC07-SC2-C2	895 × 380	890	SUS 304	-	2	-	2
TC07-SC2-CB1	895 × 380	890	ABS	-	2	-	Brass 1

"SOAP DISH"**KME-SD-01**

Materials	Size
STAINLESS STEEL	77 × 113 × 70

**KME-SD-02**

Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	110 × 200 × 35

**KME-SD-03**

Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	90 × 126 × 90

**KME-SD-04**

Materials	Size
STAINLESS STEEL	90 × 125 × 87

**KME-SD-05**

Materials	Size
STAINLESS STEEL	83 × 114 × 40

"SOAP & SPONGE HOLDER"



KME-SSH-01

Materials	Size
BRASS CHROME PLATED	112 × 196 × 47



KME-SSH-02

Materials	Size
BRASS CHROME PLATED	110 × 195 × 100



KME-SSH-04

Materials	Size
BRASS CHROME PLATED	210 × 287 × 100



KME-SSH-03

Materials	Size
BRASS CHROME PLATED	125 × 242 × 75

"PAPER HOLDER"



KME-PH-03

Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	80 × 110 × 140



KME-PH-02

Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	68 × 55 × 195



KME-PH-05

Materials	Size
SUS & BRASS CHROME PLATED	86 × 134 × 70



KME-PH-04

Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	149 × 92 × 78

"GRAP RAIL"



KME-GR-03

Materials	Size
BRASS CHROME PLATED	55 × 255 × 80



KME-GR-04

Materials	Size
SUS & BRASS CHROME PLATED	86 × 134 × 70

"TOWEL BAR"

KME-TB-03



Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	90 × 465 × 51

KME-TB-02



Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	90 × 465 × 51

KME-TB-04



Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	76 × 54 × 540

"TOILET RACK"

KME-TR-03



Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	110 × 380 × 90

"DOOR ADJUSTER"

KME-DA-01



Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	20 × 34 × 395

"DOOR STOPPER"

KME-DS-01



Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	50 × 40 × 95

"TOWEL HOOK"

KME-TH-03



Materials	Size
BRASS CHROME PLATED	57 × 110 × 32

KME-TH-02



Materials	Size
BRASS CHROME PLATED	42 × 88 × 23

"TOWER BAR"



KME-CH-01

Materials	Size
BRASS CHROME PLATED	7.5T x 30 x 80 x 95



KME-CH-02

Materials	Size
BRASS CHROME PLATED	3.5T x 15 x 65 x 70



KME-CH-03

Materials	Size
BRASS CHROME PLATED	3.5T x 15 x 65 x 70



KME-CH-04

Materials	Size
BRASS CHROME PLATED	57 x 41 x 8T

"CURTAIN HOOK"



KME-CTH-01

Materials	Size
BRASS CHROME PLATED	-



KME-CTH-02

Materials	Size
BRASS CHROME PLATED	-

"WASTE BASKET"



KME-CTH-01

Materials	Size
SUS 304	200 x 124 x 240

"ASH TRAY"



KME-AT-03

Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	80 x 110 x 90

"TOILET BRUSH & HOLDER"



KME-TBR-03

Materials	Size
-	50 x 40 x 95

"WATER TRAP"



KME-WT-01

Materials	Size
BRASS CHROME PLATED & STAINLESS STEEL	Ø76 x 131 x 121

"AIR VENT"

**KME-AV-01**

Materials	Size
ABS	Ø68 × 123

"LIQUID SOAP DISPENSER"

**KME-LS-01**

Materials	
Body: WHITE PVC Bottle: STEEL WITH CHROME PLATED	
Capacity	Size
250ml	110 x Ø70 × 156

"EXHAUST VALVE"

**KME-EVE-01**

Materials	
WHITE COLOR STOVE ENAMELLED STEEL SHEET	
Air volume flow	Weight
200 m/h AT 30mm ₂ H O.	0.19 Kg

**KME-EVS-01**

Materials	
WHITE COLOR STOVE ENAMELLED STEEL SHEET	
Air volume flow	Weight
200 m/h AT 30mm ₂ H O.	0.16 Kg



· 地址 : 大韩民国釜山广域市沙上区洛东大路1302号街29号

· 电话: +82 51-327-2670

· 传真: +82 51-327-2673

· 邮箱: sales@h-kme.com

· 网站: h-kme.com



Official **Website**



Official **YouTube**